Certificate of Analysis

Ensuring Integrity in Every Cell Line

Product	RSC96	**Passage Number**	2
Species	Rat	**Cell Count per mL**	2.0 million
Cytion™ Number	305202	**Volume per ampule**	1.5
Lot Number	305202-180526	**Freeze Date**	18.05.2026
Product Format	cryovial	**Freeze Medium**	Freeze medium containing FBS
Storage Conditions	Below -150°C	**Expiration Date**	Not applicable

At Cytion, we ensure the quality and reliability of our cell lines through in-house and third-party testing, including:

1. **STR Profiling:** To authenticate cell line[1] identity
2. **Virus Testing:** For species-specific[2] viruses where possible
3. **Mycoplasma Testing:** To prevent contamination.
4. **Interspecies Contamination Testing:** To ensure purity.
5. **Bacteria and Fungi Testing:** To ensure cells are free from microbial contaminants.

1: Human, Mouse, Rat, Hamster and Canine Species.
2: Human, Mouse, Rat, Hamster, Bovine, and Porcine Species.

Test Overview	Methodology	Acceptance Criteria	Outcome
Post-Freeze Viability	Viability assessment using Vi-CELL BLU by Beckman Coulter (analyzing 100 images per sample, 200 µl cell suspension per test)	≥70% post-thaw cell viability	95.5%
Recovery	Culture in the appropriate growth medium, microscopic evaluation	> 80% confluence within the expected recovery period	A T25 culture flask seeded at a density of 6.8 x 10^4 viable cells per cm^2 typically reaches approximately 100% confluence within 2 days.
Growth Properties	Observation of cell culture behaviour to determine if cells are adherent, suspension, or semi-adherent	Cells exhibit expected growth properties consistent with the cell line's characteristics	Adherent
Sterility Testing	Direct inoculation on 8 media, 10-day incubation; microbial ID by MALDI-TOF MS ± anaerobic culture	No aerobic microbial growth (anaerobic if test was performed)	Sterility confirmed
Mycoplasma Testing	PCR-based detection assay with specific primers targeting Mycoplasma DNA	No detectable Mycoplasma contamination confirmed by PCR	Pass

Document ID: 2F6D7D49776D7465167EA06B4836ED2D

	Marker	Alleles
Authentication	Rat_D1Wox31	100
	Rat_D2Wox37	150
	Rat_D19Wox11	212
	Rat_D10Wox8	266
	Rat_D4Wox7	-
	Rat_D2Wox27	211
	Rat_D5Rat33	134, 136
	Rat_D10Wox11	165
	Rat_D1Wox23	210
	Rat_D12Wox1	402
	Rat_D6Wox2	112
	Rat_D8Wox7	182
	Rat_D6Cebr1	-
	SRY	X, Y
	Identity match	Unique Profile

	Pathogen	Result
Species-Specific Pathogen Testing	LCMV	-
	Mycoplasma pulmonis	-
	KRV	-
	RMV	-
	RPV	-
	H1	-
	PVM	-
	rCMV	-
	RCV/SDAV	-
	Sendai	-

	Pathogen	Result
Post-production sterility and mycoplasma testing	Bacterial growth	-

Document ID: 2F6D7D49776D7465167EA06B4836ED2D

Fungal growth	-
Mycoplasma sp.	-

Document ID: 2F6D7D49776D7465167EA06B4836ED2D

Certificate of Analysis

Ensuring Integrity in Every Cell Line

Third-Party Certified Quality Assurance

Since 2023, IDEXX has conducted STR profiling, species-specific pathogen testing, and species contamination analysis to ensure the authenticity, purity, and safety of our cell lines.

IDEXX BioAnalytics

The information provided is believed to be accurate, but both the information and product are offered without warranty for any applications beyond those specified. This certificate confirms that the material has been tested and is pure to the best of our knowledge.

This product is intended solely for laboratory research use and is not for use in humans, animals, or diagnostics. Proper Biosafety Level practices are required.

Cytion products may not be resold, modified for resale, or used commercially without prior written consent from Cytion.

Manufactured in Germany under our ISO 9001:2015 certified Quality Management System, ensuring high standards of quality and reliability.

Dr. Rosemarie Steubing

ID: 51C774A0-D7BC-4AB9-899A-60E446F68900
Reason: Approved <r.steubing@cytion.com>
July 03, 2026 03:11 PM CEST

Qualified personnel have validated the test results of this Certificate of Analysis and attested with their signature that the tests were conducted as reflected in the results presented here.

Document ID: 2F6D7D49776D7465167EA06B4836ED2D