PLAT-E

305855

GENERAL INFORMATION

Description

Plat-E (Platinum-E) [illegible] (retrovirus) [illegible] 293T (human embryonic kidney 293T) [illegible] ecotropic [illegible] - gag-pol [illegible] env - [illegible] EF1α [illegible] (LTR) [illegible] MuLV [illegible] 293T [illegible]
[illegible] Plat-E [illegible] pEnv-IRES-puror [illegible] pGag-pol-IRES-bsr [illegible] (IRES) [illegible] Plat-E [illegible] 1 × 10^7 [illegible] Northern blot, [illegible] Plat-E [illegible] gag-pol [illegible] env [illegible] Bosc23 [illegible] Phoenix-E [illegible]
[illegible] Plat-E [illegible] (RCR) [illegible] (recombination) [illegible] RCR [illegible] Plat-E [illegible] T [illegible]

Tissue	[illegible]

Synonyms

- Platinum-E

CLASSIFICATION

Organism	Human
Sex	Female
Growth properties	Adherent
GMO status	GMO-S1

GMO status details

GMO-S1: This retroviral packaging cell line (PLAT-E) contains constructs encoding gag-pol and env under EF1α promoter control, supporting production of ecotropic retroviral particles. The modifications are stably present in HEK293T-derived cells. This classification applies only within Germany and may differ elsewhere.

Biosafety level	1

IDENTIFIERS

Citation

PLAT-E (หมายเลบแคตตาล็อก Cytion 305855)

NCBI TaxID	9606
Cellosaurus	CVCL_B488

HANDLING AND CULTURE

Culture medium

RPMI 1640, w: 2.0 mM กลูตามีนเสถียร, w: 2.0 กรัม/ลิตร NaHCO3 (หมายเลบบทความ Cytion 820700a)

Incubation atmosphere	37°C, 5%CO2, บรรยากาศชื้น

Supplements

เติมอาหารเลี้ยงเชื้อด้วย FBS 10%

Dissociation reagent	แอคคูเทส
Seeding density	1 ถึง 4 x 10^4 เซลล์/ซม .
Fluid renewal	2 ถึง 3 ครั้งต่อสัปดาห์

Thawing and culturing

Confirm that the vial remains deeply frozen upon delivery, as cells are shipped on dry ice to maintain optimal temperatures during transit.
Upon receipt, either store the cryovial immediately at temperatures below -150°C to ensure the preservation of cellular integrity, or proceed to step 3 if immediate culturing is required.
For immediate culturing, swiftly thaw the vial by immersing it in a 37°C water bath with clean water and an antimicrobial agent, agitating gently for 40-60 seconds until a small ice clump remains.
Perform all subsequent steps under sterile conditions in a flow hood, disinfecting the cryovial with 70% ethanol before opening.
Carefully open the disinfected vial and transfer the cell suspension into a 15 ml centrifuge tube containing 8 ml of room-temperature culture medium, mixing gently.
Centrifuge the mixture at 300 x g for 3 minutes to separate the cells and carefully discard the supernatant containing residual freezing medium.
Gently resuspend the cell pellet in 10 ml of fresh culture medium. For adherent cells, divide the suspension between two T25 culture flasks; for suspension cultures, transfer all the medium into one T25 flask to promote effective cell interaction and growth.
Adhere to established subculture protocols for continued growth and maintenance of the cell line, ensuring reliable experimental outcomes.

QUALITY CONTROL AND CRYOPRESERVATION

Sterility

การปนเปื้อนของไมโคพลาสมาถูกตัดออกโดยใช้ทั้งการทดสอบแบบ PCR และการตรวจหาไมโคพลาสมาโดยใช้วิธีการเรืองแสง เพื่อให้แน่ใจว่าไม่มีการปนเปื้อนของแบคทีเรีย เชื้อรา หรือยีสต์ การเพาะเลี้ยงเซลล์จะถูกตรวจสอบด้วยสายตาทุกวัน

Freeze medium	ในฐานะที่เป็นสารอาหารสำหรับการแช่แข็ง เราใช้สารอาหารสำหรับการเจริญเติบโตแบบครบถ้วน (รวมถึง FBS) + 10% DMSO เพื่อความมีชีวิตหลังการละลายที่เพียงพอ หรือ CM-1 (หมายเลบแคตตาล็อก Cytion 800100) ซึ่งรวมถึงสารป้องกันออสโมติกและสารรักษาเสถียรภาพเมตาบอลิซึมที่ได้รับการปรับให้เหมาะสมเพื่อเพิ่มการฟื้นตัวและลดความเครียดที่เกิดจากการแช่แข็ง

Storage conditions

สำหรับการเก็บรักษาในระยะยาว ให้วางหลอดบรรจุในไนโตรเจนเหลวในสถานะไอที่อุณหภูมิประมาณ −150 ถึง −196 ˚C การเก็บรักษาที่อุณหภูมิ −80 °C สามารถใช้ได้เฉพาะในระยะสั้นก่อนการย้ายไปยังไนโตรเจนเหลวเท่านั้น

Cytion GmbH
Nikola-Tesla-Str. 3
69124 Heidelberg
Tel: +49 (0)6221 405780
info@cytion.com
cytion.com

Registered office Heidelberg
VAT ID: DE283292917
Local court Mannheim - HRB 714394
CEO / Geschäftsführer: Jonathan Steubing

Banking information
Sparkasse Heidelberg
IBAN: DE35 6725 0020 0009 2076 86
BIC: SOLADES1HDB

2 / 3

Shipping conditions

[illegible] −78 °C [illegible]

DONOR

Donor age	[illegible]

LEGAL AND SAFETY

Safety precautions

[illegible]

Disclaimer

[illegible]

Warranty

[illegible]Cytion [illegible]
[illegible]
60 [illegible]
[illegible]
[illegible]/[illegible]
[illegible]
<a href=""/Who-we-are/Warranty/"" hreflang=""x-default"">[illegible].

Material Transfer Agreement required	Yes

Cytion GmbH
Nikola-Tesla-Str. 3
69124 Heidelberg
Tel: +49 (0)6221 405780
info@cytion.com
cytion.com

Registered office Heidelberg
VAT ID: DE283292917
Local court Mannheim - HRB 714394
CEO / Geschäftsführer: Jonathan Steubing

Banking information
Sparkasse Heidelberg
IBAN: DE35 6725 0020 0009 2076 86
BIC: SOLADES1HDB